

In manuscript “Computed tomography evaluation of renal artery morphometry in adults. *The impact of age and gender*” Saudi Med J 2020; Vol. 41 (1): 34-37 doi: 10.15537/smj.2020.1.24795. In the Results Section the measurement unit should appeared as: centimetre (cm)

In manuscript “Surgical and oncological outcome after laparoscopic versus open nephroureterectomy for non-metastatic, upper-tract urothelial carcinoma. *A single-centre experience*” Saudi Med J 2020; Vol. 41 (1): 25-33; doi: 10.15537/smj.2020.1.24780. Discussion Section and Table 2 should appeared as: Similarly, 3 of 5 patients developed recurrences in the ureterectomy stumps, which was managed with bladder cuff excision.

Table 2 - Intra- and perioperative comparative analysis using nonparametric (Mann-Whitney) test.

Variables	ONU	LNU	P-value
Blood loss (ml, median, IQR)	300.0 (250.0 - 500)	200.0 (100.0 - 200.0)	<0.0001
Operative time (hrs, median IQR)	4.0 (3.0 - 4.0)	2.2 (2.0 - 2.8)	<0.0001
Hospital stay (days, median, IQR)	5.0 (5.0 - 6.0)	3.0 (3.0 - 4.5)	0.0018

ONU: open nephroureterectomy LNU: laparoscopic nephroureterectomy,
IQR: Interquartile range